

## AMENDMENTS

### In the Claims

The following is a marked-up version of the claims with the language that is underlined (“\_\_\_”) being added and the language that contains strikethrough (“—”) being deleted:

1.– 15. (Canceled)

16. (Currently Amended) ~~The mobile communication device of claim 15~~ A mobile communication device, comprising:

a housing;

a mobile pager operably supported by said housing; and

a self-contained audio recorder operably supported by said housing,

wherein said mobile pager comprises:

a first microprocessor supported by said housing;

microprocessor support circuitry communicating with said first microprocessor;

an interface controller operably connected to said microprocessor support circuitry;

a display screen communicating with said interface controller;

a keypad connected to said interface controller;

transmitter receiver circuitry connected to said audio processing and microprocessor support circuitry; and

an antenna communicating with said transmitter receiver circuitry,

wherein said self-contained audio recorder comprises:

a second microprocessor supported by said housing;  
an input device communicating with said second microprocessor;  
record and playback circuitry coupled to said second microprocessor for recording  
a signal on a recording medium;  
a first microphone communicating with said second microprocessor through said  
record and playback circuitry; and  
a first speaker communicating with said second microprocessor through said  
record and playback circuitry.

17. (Canceled)

18. (Currently Amended) The mobile communication device of ~~claim 16~~ claim 16, further  
comprising an LED communicating with said second microprocessor.

19.–22. (Canceled)

23. (New) The mobile communication device of claim 16, further comprising a program  
memory.

24. (New) The mobile communication device of claim 16, further comprising a working  
memory.

25. (New) The mobile communication device of claim 24, further comprising a program memory, wherein the program memory is different than the working memory.
26. (New) The mobile communication device of claim 16, wherein the self-contained audio recorder further comprises analog to digital circuitry.
27. (New) The mobile communication device of claim 16, wherein the self-contained audio recorder further comprises compression/decompression circuitry.
28. (New) The mobile communication device of claim 16, further comprising a second speaker coupled to the mobile pager, wherein the first speaker is different than the second speaker.
29. (New) The mobile communication device of claim 16, further comprising a second microphone coupled to the mobile pager, wherein the first microphone is different than the second microphone.

30. (New) A mobile communication device, comprising:

- a housing;
- a mobile telephone operably supported by said housing; and
- a self-contained audio recorder operably supported by said housing,

wherein said mobile telephone comprises:

- a first microprocessor supported by said housing;
- microprocessor support circuitry configured to communicate with said first microprocessor;
- an interface controller operably connected to said microprocessor support circuitry;
- a display screen configured to communicate with said interface controller;
- a keypad operably connected to said interface controller;
- transmitter receiver circuitry operably connected to said audio processing and operably connected to said microprocessor support circuitry; and
- an antenna communicating with said transmitter receiver circuitry,

wherein said self-contained audio recorder comprises:

- a second microprocessor supported by said housing;
- an input device configured to communicate with said second microprocessor;
- record and playback circuitry coupled to said second microprocessor for recording a signal on a recording medium;
- a first microphone configured to communicate with said second microprocessor through said record and playback circuitry; and

a first speaker configured to communicate with said second microprocessor through said record and playback circuitry.

31. (New) The mobile communication device of claim 30, further comprising an LED communicating with said second microprocessor.

32. (New) The mobile communication device of claim 30, further comprising a program memory.

33. (New) The mobile communication device of claim 30, further comprising a working memory.

34. (New) The mobile communication device of claim 33, further comprising a program memory, wherein the program memory is different than the working memory.

35. (New) The mobile communication device of claim 30, wherein the self-contained audio recorder further comprises analog to digital circuitry.

36. (New) The mobile communication device of claim 30, wherein the self-contained audio recorder further comprises compression/decompression circuitry.

37. (New) The mobile communication device of claim 30, further comprising a second speaker coupled to the mobile telephone, wherein the first speaker is different than the second speaker.

38. (New) The mobile communication device of claim 30, further comprising a second microphone coupled to the mobile telephone, wherein the first microphone is different than the second microphone.

39. (New) A mobile device, comprising:

a microprocessor operably supported by a housing;

a mobile communications device operably supported by said housing, the mobile communications device comprising:

microprocessor support circuitry configured to communicate with said microprocessor;

an interface controller operably connected to said microprocessor support circuitry; and

a first microphone operably connected to said microprocessor, said first microphone configured to facilitate audio communication; and

a self-contained audio recorder operably supported by said housing, comprising:

an input device configured to communicate with said microprocessor;

record and playback circuitry coupled to said microprocessor for recording a signal on a recording medium;

a second microphone configured to communicate with said microprocessor via said record and playback circuitry, wherein said second microphone is different than said first microphone; and

a first speaker configured to communicate with said microprocessor through said record and playback circuitry.

40. (New) The mobile communication device of claim 39, wherein said mobile communications device further comprise a second speaker coupled to said mobile communications device, said second speaker being configured to communicate with said microprocessor, wherein said second speaker is different than said first speaker.

41. (New) The mobile communication device of claim 39, wherein said mobile communications device includes at least one of the following: a mobile telephone, a mobile pager, and a Personal Digital Assistant (PDA).